

359

$$f(x) = -3x + 1$$

$$f(0) = -3 \cdot 0 + 1 = 0 + 1 = 1 \quad (0, 1)$$

$$f(1) = -3 \cdot 1 + 1 = -3 + 1 = -2 \quad (1, -2)$$

$$f(2) = -3 \cdot 2 + 1 = -6 + 1 = -5 \quad (2, -5)$$

$$g(x) = 4x - 5$$

$$g(0) = 4 \cdot 0 - 5 = 0 - 5 = -5 \quad (0, -5)$$

$$g(1) = 4 \cdot 1 - 5 = 4 - 5 = -1 \quad (1, -1)$$

$$g(2) = 4 \cdot 2 - 5 = 8 - 5 = 3 \quad (2, 3)$$

$$h(x) = -x$$

$$h(0) = -0 = 0 \quad (0, 0)$$

$$h(1) = -1 \quad (1, -1)$$


$$h(2) = -2 \quad (2, -2)$$

$$k(x) = -2x + 3$$

$$k(0) = -2 \cdot 0 + 3 = 0 + 3 = 3 \quad (0, 3)$$

$$k(1) = -2 \cdot 1 + 3 = -2 + 3 = 1 \quad (1, 1)$$

$$k(2) = -2 \cdot 2 + 3 = -4 + 3 = -1 \quad (2, -1)$$



360

$$f(x) = \frac{x}{2}$$

$$f(0) = \frac{0}{2} = 0 \quad (0, 0)$$

$$f(2) = \frac{2}{2} = 1 \quad (2, 1)$$

$$f(4) = \frac{4}{2} = 2 \quad (4, 2)$$

$$g(x) = 1,5x + 2$$

$$g(0) = 1,5 \cdot 0 + 2 = 0 + 2 = 2 \quad (0, 2)$$

$$g(2) = 1,5 \cdot 2 + 2 = 3 + 2 = 5 \quad (2, 5)$$

$$g(4) = 1,5 \cdot 4 + 2 = 6 + 2 = 8 \quad (4, 8)$$

$$h(x) = -3x$$

$$h(0) = -3 \cdot 0 = 0 \quad (0,0)$$

$$h(1) = -3 \cdot 1 = -3 \quad (1,-3)$$


$$h(2) = -3 \cdot 2 = -6 \quad (2,-6)$$

$$k(x) = \frac{1}{3}x + 3$$

$$k(0) = \frac{1}{3} \cdot 0 + 3 = 0 + 3 = 3 \quad (0,3)$$

$$k(3) = \frac{1}{3} \cdot 3 + 3 = 1 + 3 = 4 \quad (3,4)$$

$$k(6) = \frac{1}{3} \cdot 6 + 3 = 2 + 3 = 5 \quad (6,5)$$



366 s. 93

KOTITEHTÄVÄT