

Ilmanvaihtojärjestelmän puhdistus

Poistoilmajärjestelmä



NUOHOUSALAN
KESKUSLIITTO RY

Puhdistus

Puhdistaminen aina kohteen mukaan

Työjärjestys


Työvälineet

- alipaineistus / koneellinen harjaus
- kaapimalla
- liuottamalla
- pesemällä
- paineilmalla
- kanavan tai osan vaihto

Puhdistus

- Ilmastoinnin ohjaus
koneet käsikäytöllä täydelle teholle
- Työvälineiden nosto turvallisesti katolle
- Huippuimurin esipuhdistus
- Alipaineistus
- Kokoojalaatikoiden kautta puhdistetaan
 - yhteiskanavat * palonrajoittimet
 - kokoojakanavat * puhdistusluukkujen tiiviys
 - kokoojalaatikko * kokoojalaatikon tiiviys

Ilmanvaihto ullakko



Architectural floor plan of a building, showing three main rooms and various technical details.

Rooms and Areas:

- 2H+KK+S** (43,0 m²): Includes a kitchen (KK) and a living area (LIESIKUPU).
- 2H+TUPAK.+S** (65,5 m²): Includes a kitchen (KK) and a living area (LIESIKUPU).
- IH+TUPAK.+S** (45,0 m²): Includes a kitchen (KK) and a living area (LIESIKUPU).

Technical Details:

- Doors:** Labeled with "DOR" and "OR".
- Windows:** Labeled with "VIL" and "VIL 3".
- Staircase:** Labeled "B15".
- Section Line A-A:** Indicated by a dashed line with arrows, showing a cross-section of the building.
- Section Line B-B:** Indicated by a dashed line with arrows, showing a cross-section of the building.
- Dimensions:** Various dimensions are provided, such as "h=2200" and "h=2100".
- Technical Drawing:** A detailed drawing of a door (DOR) and a window (VIL) is shown, with dimensions and labels.

Other Labels:

- ALAPOHJAN TUULETUS** (Basement Ventilation)
- HÄTÄHÄTTY N.800mm** (Emergency Exit N.800mm)
- ALAPOHJAN TUULETUS** (Basement Ventilation)
- HÄTÄHÄTTY N.800mm** (Emergency Exit N.800mm)

The floor plan shows a building with three main sections:

- 2H+KK+S 43,0 m²** (Section 6): Includes rooms labeled PH, WC, and TUPAK. It features a staircase (A) and a ramp (h=2100).
- 2H+TUPAK.+S 65,5 m²** (Section 8): Includes rooms labeled PH, WC, and TUPAK. It features a staircase (A) and a ramp (h=2100).
- IH+TUPAK.+S 45,0 m²** (Section 7): Includes rooms labeled PH, WC, and TUPAK. It features a staircase (A) and a ramp (h=2100).

The plan also includes a central staircase (A) and a ramp (h=2100). Various rooms are labeled with dimensions and structural details. The plan is labeled with dimensions, room numbers, and structural details.

Puhdistus

Huoneistossa puhdistetaan

- liitekanavat
- venttiilit ja höyrykuvun suodatin pestään
- yhteiskanavien pohjat (1krs)
- Korvausilmaventtiilit

Kellarikerros

- saunat, varastot
- pohjaluukut

Puhdistus



Liitekanavan puhdistus



Koneellinen harjaus



Koneellinen harjaus



Puhdistus

Katolta lopuksi

- kammio / konehuone
- kone / puhallin
- Huippuimurit



Lopuksi

- Jälkityöt
 - siisti jäljet
- Työn tarkastus kiinteistön edustajan kanssa, pöytäkirja
 - mitä on tehty, työmenetelmät
 - rakenteelliset puutteet, paloeristeet
 - palonrajoittimet
 - toiminnan puutteet
 - tehdyt korjaukset
 - korjausehdotukset
 - asukkaiden opastus